

**LIST OF PATENTS AND PUBLICATIONS FOR
APPLICANT(S)' INFORMATION DISCLOSURE
STATEMENT**
(Use several sheets if necessary)

ATTY. DOCKET NO.

21182-7067

SERIAL NO.

~~Not yet assigned~~

09/918,874

INVENTOR

MARDER, et al.

FILING DATE

Herewith 07/30/01

GROUP ART UNIT

~~Not yet assigned~~ 1712

1c978 U.S. PTO

09/918874



REFERENCE DESIGNATION

U.S. PATENT DOCUMENTS

EXAM'R INITIAL		DOCUMENT NUMBER	DATE	NAME	Class	Subclass	Filing Date If Appropriate
* RAJ	A1	4,041,476	08/09/77	Swainson, et al.	340	173	07/23/71
*	A2	4,078,229	03/07/78	Swainson, et al.	340	173	01/27/75
*	A3	4,238,840	12/09/80	Swainson, et al.	365	119	04/22/77
*	A4	4,288,861	09/08/81	Swainson, et al.	365	127	01/22/79
*	A5	4,333,165	06/01/82	Swainson, et al.	365	120	12/01/77
*	A6	4,466,080	08/14/84	Swainson, et al.	365	106	04/15/81
*	A7	4,471,470	09/11/84	Swainson, et al.	365	127	02/22/82
*	A8	5,034,613	07/23/91	Denk, et al.	250	458.1	11/14/89
*	A9	5,268,862	12/07/93	Rentzepis	365	151	04/25/89
*	A10	5,523,573	06/04/96	Hanninen, et al.	250	459	12/28/94
*	A11	4,014,871	03/29/77	Kormány, et al.	260	240 C	08/06/75
*	A12	4,165,434	09/21/79	Schäfer, et al.	544	197	06/01/77
*	A13	4,271,395	06/02/81	Brinkman, et al.	331	94.5 L	01/03/78
*	A14	5,009,815	04/23/91	Wakita, et al.	252	582	02/09/90
*	A15	5,086,239	02/04/92	Wang	359	328	02/22/90
*	A16	5,451,494	09/19/95	Diehl, et al.	430	522	07/22/94
*	A17	5,670,090	09/23/97	Marder, et al.	252	582	06/01/95
* RAJ	A18	5,795,729	08/18/98	Lee	435	24	02/05/96

FOREIGN PATENT DOCUMENTS

EXAM'R INITIAL		DOCUMENT NUMBER	DATE	COUNTRY	CLASS	Subclass	TRANSLAT'N
							yes no
* RAJ	B1	2187734	7/90	Japan	252	582	X

OTHER ART (Include Author, Title, Date, Pertinent Pages, etc.)

* RAJ	C1	Anderson, et al., "Two-photon absorptivities of the all <i>trans</i> α , ω -diphenylpolyenes from stilene to diphenyloctatetraene via three wave mixing," <i>J. Chem. Phys.</i> 70 (9), pp. 4310-15 (1979).
* RAJ	C2	Beljonne, et al., "Two-photon absorption and third-harmonic generation of di-alkyl-amino-nitro-stilbene (DANS): A joint experimental and theoretical study," <i>J. Chem. Phys.</i> 103 (18), pp. 7834-43 (1995).
* RAJ	C3	Bhawalakar, et al., "Efficient, two-photon pumped green upconverted cavity lasing in a new dye," <i>Opt. Comm.</i> 124, pp. 33-37 (1996).
* RAJ	C4	Birge, "An Introduction to Two-Photon Spectroscopy," <i>Spectroscopy of Biological Molecules: Theory and Applications - Chemistry, Physics, Biology, and Medicine</i> , No. 39, pp. 457-71 (1983).
* RAJ	C5	Bimbaum, et al., "Location of a 1A_g state in bithiophene," <i>J. Chem. Phys.</i> , 96 (4), pp. 2492-95 (1992).
* RAJ	C6	Bimbaum, et al., "Low lying singlet states of α , ω -dithienylpolyenes: α , ω -dithienylbutadiene, α , ω -dithienylhexatriene, and α , ω -dithienyloctatetraene," <i>J. Chem. Phys.</i> , 94 (3), pp. 1684-91 (1991).
* RAJ	C7	Brede, et al., "Photo- and Radiation-induced Chemical Generation and Reactions of Styrene Radical Cations in Polar and Non-polar Solvents," <i>J. Chem. Soc. Perkin Trans. 2</i> , pp. 23-32 (1995).
* RAJ	C8	Carre, et al., "Biphotonic process for recording holograms with continuous-wave lasers in the near infrared," <i>Optics Letters</i> , 12 (9), pp. 646-47 (1987).
* RAJ	C9	Casstevens, Martin K., et al., "A New Class of Materials for Optical Power Limiting", in Nonlinear Optical liquids and power limiters; Proceedings of the Meeting, San Diego, CA, July 30-31, 1997 (A98-22080 05-74), Bellingham, Society of Photo-Optical Instrumentation Engineers (SPIE Proceedings, Vol. 3146), 1997, p. 152-159.
* RAJ	C10	Cha, et al., "Two photon absorption of di-alkyl-amino-nitro-stilbene side chain polymer, <i>Appl. Phys. Lett.</i> 65 (21), pp. 2648-50 (1994).
* RAJ	C11	Couris, et al., "Concentration and wavelength dependence of the effective third-order susceptibility and optical limiting of C_{60} in toluene solution," <i>J. Phys. B: At. Mol. Opt. Phys.</i> 28, pp. 4537-54 (1995).

EXAMINER

LOVERING

DATE CONSIDERED

4-23-03

EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609;
Draw line through citation if not in conformance and not considered. Include copy of this form with next
communication to Applicant(s).

LIST OF PATENTS AND PUBLICATIONS FOR
APPLICANT(S) INFORMATION DISCLOSURE
STATEMENT

(Use several sheets if necessary)

ATTY. DOCKET NO.

21182-7067

SERIAL NO.

Not yet assigned

09/918,87Y

INVENTOR

MARDER, et al.

FILING DATE

Herewith 07/30/01

GROUP ART UNIT

Not yet assigned 1712

* 	C12	Denk, et al., "Anatomical and functional imaging of neurons using 2-photon laser scanning microscopy," <i>J. Neuroscience Methods</i> 54, pp. 151-62 (1994).
* 	C13	Denk, et al., "Two-Photon Laser Scanning Fluorescence Microscopy," <i>Science</i> 248, pp. 73-76 (1990).
* 	C14	Desai, et al., "Laser-Induced Polymerization within Carbon Disulfide Clusters," <i>J. Phys. Chem.</i> , 99 (6), pp. 1786-91 (1995).
* 	C15	El-Shall, et al., "Comparative Polymerization in the Gas Phase and in Clusters. 2. Electron Impact and Multiphoton-Induced Reactions in Isobutene and Benzene/Isobutene Clusters," <i>J. Am. Chem. Soc.</i> , 117 (29), pp. 7744-52 (1995).
* 	C16	Fuke, et al., "Two-Photon Absorption spectrum of Trans-Stilbene, Trans-Cis Photoisomerization via Upper 1A_g State," <i>Chem. Phys. Lett.</i> 74 (3), pp. 546-548 (1980).
* 	C17	Goodman, et al., "Two-Photon Spectra of Aromatic Molecules," <i>Acc. Chem. Res.</i> 17, pp. 250-57 (1984).
* 	C18	He, et al., "Nonlinear optical properties of a new chromophore," <i>J. Opt. Soc. Am B</i> 14 (5), pp. 1079-87 (1997).
* 	C19	He, et al., "Studies of two-photon pumped frequency-upconverted lasing properties of a new dye material," <i>J. Appl. Phys.</i> 81 (6), pp. 2529-37 (1997).
* 	C20	He, et al., "Two-photon absorption and optical-limiting properties of novel organic compounds," <i>Opt. Lett.</i> 20 (18), pp. 435-37 (1995).
* 	C21	He, et al., "Two-photon absorption based optical limiting and stabilization in organic molecule-doped solid materials," <i>Opt. Comm.</i> , 117, pp. 133-36 (1995).
* 	C22	He, et al., "Upconversion dye-doped polymer fiber laser," <i>Appl. Phys. Lett.</i> 68 (25), pp. 3549-51 (1996).
* 	C23	Hunter, et al., "Potentials of two-photon based 3-D optical memories for high performance computing," <i>Applied Optics</i> 29 (14), pp. 2058-66 (1990).
* 	C24	Itoh, et al., "Dual Fluorescence of Diphenylpolyenes," <i>J. Phys. Chem.</i> , 91 (7), pp. 1760-64 (1987).
* 	C25	Itoh, et al., "Fluorescence quantum yields of α , ω -diphenylpolyenes," <i>Spectrochimica Acta</i> 50A (13), pp. 2261-63 (1994).
* 	C26	Jones, et al., "Direct observation of the 2^1A_g electronic state of carotenoid molecules by consecutive two-photon absorption spectroscopy," <i>J. Photochem. Photobiol. A: Chem.</i> 68, pp. 59-75 (1992).
* 	C27	Kennedy, et al., " ρ -Bis(o-methylstyryl)benzene as a Power-Squared Sensor for Two-Photon Absorption Measurements between 537 and 694 nm," <i>Anal. Chem.</i> 58 (13), pp. 2643-47 (1986).
* 	C28	Kim, et al., "Synthesis of Electroluminescent Polymer containing charge Transport and Emissive Chromophores on Polymer Skeleton," <i>Chemistry Letters</i> , pp. 587-88 (1995).
* 	C29	Kohler, et al., "Fluorescence from the 1^1B_u State of Diphenylhexatriene: Inversion of the 1^1B_u and 2^1A_g Levels in CS_2 ," <i>J. Phys. Chem.</i> , 92 (18), pp. 5120-22 (1988).
* 	C30	Kohler, et al., "Saturation kinetics of the S_0 to S_2 optical transition in isolated diphenylhexatriene," <i>J. Chem. Phys.</i> , 82 (7), pp. 2939-41 (1985).
* 	C31	Kumar, et al., "Optical nonlinearity in a mode-locking dye: optical limiting and four wave mixing," <i>Chemical Physics Letters</i> 245, pp. 287-91 (1995).
* 	C32	Lakowicz, et al., "Two Photon-Induced Fluorescence Intensity and Anisotropy Decays of Diphenylhexatriene in Solvents and Lipid Bilayers," <i>Journal of Fluorescence</i> 2 (4), pp. 247-58 (1992).
* 	C33	Lin, et al., "Dual Fluorescence of ρ, ρ' -Disubstituted 1,6-Diphenyl-1,3,5-hexatrienes: Evidence of a Twisted Intramolecular Charge Transfer State," <i>J. Phys. Chem.</i> 93 (1), pp. 39-43 (1989).
* 	C34	Luo, et al., "One- and Two-Photon Absorption Spectra of Short Conjugated Polyenes," <i>J. Phys. Chem.</i> 98 (32), pp. 7782-89 (1994).
* 	C35	Maiti, et al., "Measuring Serotonin Distribution in Live Cells with Three-Photon Excitation," <i>Science</i> 275, pp. 530-32.
* 	C36	Maruo, et al., "Three-dimensional microfabrication with two-photon-absorbed photopolymerization," <i>Opt. Lett.</i> 22 (2), pp. 132-34 (1997).
* 	C37	McEwan, et al., "Picosecond-induced Nonlinear Absorption in Liquid Crystal Media," <i>J. Nonlinear Opt. Phys. and Mater.</i> 4 (1), pp. 245-60 (1995).
* 	C38	Mertz, et al., "Single-molecule detection by two-photon-excited fluorescence," <i>Optics Letters</i> 20 (24), pp. 2532-34 (1995).
* 	C39	Narang, et al., "Characterization of a New Solvent-Sensitive Two-Photon-Induced Fluorescent (Aminostyryl)pyridinium Salt Dye," <i>J. Phys. Chem.</i> 100 (11), pp. 4521-25 (1996).
* 	C40	Parma, et al., "Two-Photon Absorption of 7-Hydroxycoumarin," <i>Chem. Phys. Lett.</i> 54 (3), pp. 541-43 (1978).
* 	C41	Parthenopoulos, et al., "Three-Dimensional Optical Storage Memory," <i>Science</i> 245, pp. 843-45 (1989).
* 	C42	Plakhotnik, et al., "Nonlinear Spectroscopy on a Single Quantum System: Two-Photon Absorption of a Single Molecule," <i>Science</i> 271, pp. 1703-05 (1996).
* 	C43	Praśad, et al., "Multiphoton Resonant Nonlinear Optical Processes in Organic Molecules," ACS Symposium, Chapter 13, pp. 225-36 (1996).

EXAMINER

LOVERING

DATE CONSIDERED

4-23-03

EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609;
Draw line through citation if not in conformance and not considered. Include copy of this form with next
communication to Applicant(s).

FORM PTO-1449 (Modified [6-1]) LIST OF PATENTS AND PUBLICATIONS FOR APPLICANT(S)' INFORMATION DISCLOSURE STATEMENT (Use several sheets if necessary)	ATTY. DOCKET NO. 21182-7067	SERIAL NO. Not yet assigned 09/918,874
	INVENTOR MARDER, et al.	
	FILING DATE Herewith 07/30/01	GROUP ART UNIT Not yet assigned 1712

* ROL	C44	Puccetti, <i>et al.</i> , "Chain-Length Dependence of the Third-Order Polarizability of Disubstituted Polyenes. Effects of End Groups and Conjugation Length," <i>J. Phys. Chem.</i> , 97 (37), pp. 9385-91 (1993).
* ROL	C45	Rava, <i>et al.</i> , "Regularities in the two-photon spectra of polysubstituted benzenes," <i>J. Chem. Phys.</i> , 77 (10), pp. 4912-19 (1982).
* ROL	C46	Rice, <i>et al.</i> , "Two-Photon, Thermal Lensing Spectroscopy of Monosubstituted Benzenes in the $^1B_{2u}(^1L_b) \leftarrow ^1A_{1g}(^1A)$ and $^1B_{1u}(^1L_a) \leftarrow ^1A_{1g}(^1A)$ Transition Regions", <i>J. Phys. Chem.</i> 90, pp. 6793-6800 (1986).
* ROL	C47	Roux, <i>et al.</i> , "Two-photon-absorption-induced luminescence in organic waveguide couplers," <i>J. Opt. Soc. Am. B</i> , 12 (3), pp. 428-33 (1995).
* ROL	C48	Said, <i>et al.</i> , "Third- and fifth-order optical nonlinearities in organic materials," <i>Chem. Phys. Lett.</i> 228, pp. 646-50 (1994).
* ROL	C49	Stachelek, <i>et al.</i> , "Detection and assignment of the 'phantom' photochemical singlet of <i>trans</i> -stilbene by two-photon excitation," <i>J. Chem. Phys.</i> , 66 (10), pp. 4540-43 (1977).
* ROL	C50	Strickler, <i>et al.</i> , "3-D Optical Data Storage by Two-Photon Excitation," <i>Adv. Mater.</i> 5 (6), pp. 479-81 (1993).
* ROL	C51	Strickler, <i>et al.</i> , "Three-dimensional optical data storage in refractive media by two-photon point excitation," <i>Optics Letters</i> 16 (22), pp. 1780-82 (1991).
* ROL	C52	Strickler, <i>et al.</i> , "Two-photon excitation in laser scanning fluorescence microscopy," <i>SPIE</i> 1398, pp. 107-18 (1990).
* ROL	C53	Sutherland, <i>et al.</i> , "Two-photon absorption and second hyperpolarizability measurements in diphenylbutadiene by degenerate four-wave mixing," <i>J. Chem. Phys.</i> 98 (4), pp. 2593-2603 (1993).
* ROL	C54	Tackx, <i>et al.</i> , "Distinction of two-photon absorption from other nonlinear loss mechanisms by phase-conjugate interferometry," <i>Appl. Phys. Lett.</i> 65 (3), pp. 280-82 (1994).
* ROL	C55	Williams, <i>et al.</i> , "Two-photon molecular excitation provides intrinsic 3-dimensional resolution for laser-based microscopy and microphotochemistry," <i>The FASEB Journal</i> 8, pp. 804-13 (1994).
* ROL	C56	Wong, <i>et al.</i> , "Measurements of $\chi^{(3)}(\omega; \omega, -\omega, \omega)$ in conducting polymers at $\lambda=620$ nm," <i>Synthetic Metals</i> 49-50, pp. 13-20 (1992).
* ROL	C57	Xu, <i>et al.</i> , "Determination of absolute two-photon excitation cross sections by <i>in situ</i> second-order autocorrelation," <i>Optics Letters</i> 20 (23), pp. 2372-74 (1995).
* ROL	C58	Xu, <i>et al.</i> , "Measurement of two-photon excitation cross sections of molecular fluorophores with data from 690 to 1050 nm," <i>J. Opt. Soc. Am. B</i> 13 (3), pp. 481-91 (1996).
* ROL	C59	Zhao, <i>et al.</i> , "Influence of two-photon absorption on third-order nonlinear optical processes as studied by degenerate four-wave mixing: The study of soluble dicycloxy substituted polyphenyls," <i>J. Chem. Phys.</i> 95 (6), pp. 3991-4001 (1991).
* ROL	C60	Zhao, <i>et al.</i> , "Newly Synthesized Dyes and Their Polymer/Glass Composites for One-and Two-Photon Pumped Solid-State Cavity Lasing," <i>Chem. Mater.</i> 7 (10), pp. 1979-83 (1995).

OTHER ART (Include Author, Title, Date, Pertinent Pages, etc.)

EXAMINER <u>LOVERING</u>	DATE CONSIDERED <u>4-23-03</u>
EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to Applicant(s).	